



May 13, 2013

Buddy Dobbins – Segment Director

Risk Engineering – Machinery Breakdown

Zurich Services Corporation

Copyright

©2013 Zurich Services Corporation. All rights reserved.



• On the job!



Photo by David Parsons - NREL 06894



- "Green energy " sign of the times?
- 2012 Zurich discusses energy produced by solar boilers
- 2013 Issues with boilers using biogas
- 2014 ????



- Where biogas originates
- Why companies are using biogas
- Components of biogas
- Challenges of using biogas in boilers
- Methods to reduce the number of problems inherent with use of biogas



- What is biogas?
- Biogas = sewage sludge gas = digester gas = landfill gas
- Product of microbial metabolism What?
 - Anaerobic microorganisms (methanogens) consume organic solids (volatile solids or VS) in a digester, holding tank or landfill
 - Microorganisms produce
 - CH4 (~60%)
 - CO2 (~40%)
 - Sulfides, H2O and Nitrogen
 - Production rate: approximately 10 to 16 cu.ft. biogas/lb. of VS broken down (2)



- Sources of biogas
 - Obviously landfills
 - Sewage sludge
 - Energy crops
 - Agricultural waste
 - -Food waste



- Created from many sources, used in many applications
- Our interest boilers



Photo by Zurich RE Todd Maldonado Permission by Covant Energy 20121017



Components of biogas (5)


Biogas Vs. Natural Gas


Component	Biogas	Natural Gas
Methane	60%	80 to 95%
Carbon Dioxide	39%	1%
Nitrogen	1%	1 to 5%
Heavy Hydrocarbons	0 (Zero)	2 to 12%
Sulfides	Up to 2500 ppm	Up to 7 ppm
Energy Content, BTU/cu. ft.	600	1000
Origin	Sludge production	Biomass 100 million per year

Chart by Zurich RE Buddy Dobbins - 20130325



Typical landfill flow rate(5)





Graph by Zurich RE Buddy Dobbins - 20130416



- Biogas is a RAW MATERIAL
- Moisture causes
 - Corrosion, together with acid gases
- Hydrogen sulfide causes
 - Corrosion in mechanical moving parts of prime movers
 - Breakdown of lubricants, leading to bearing, piston ring and seal failures
- Siloxane cause
 - Scaling that leads to failure of mechanical components and/or overheating
 - Breakdown of lubricants that leads to failure of mechanical parts



Photo by David Parsons, NREL 01206



 Hexamethyldisiloxane chemical formula (6)

- Class of organic or inorganic chemical compound
- Organosilicones

- Various siloxane types
 - Halogenated compounds
 - Hydrogen sulphide
 - Corrosive acids
 - Volatile silicon components



Issues with siloxanes



Photo by Zurich RE Todd Maldonado – Permission by Covant Energy 20121017



Typical siloxane buildup on boiler tubesheet



Photo by Zurich RE Todd Maldonado – Permission by Covant Energy 20121017



Siloxane removal methods₍₆₎

- Dry adsorbent
 - Charcoal
 - Polymers
 - Molecular sieves
- Organic solvents
- Cryogenic, or refrigerant method
- Chemical abatement
 - Sulphuric acid
 - Nitric acid
 - Phosphoric acid





Photo by Calvin Feik - NREL 16029



Cryogenic condensation (refrigeration method) (7)



Drawing by Zurich RE Buddy Dobbins - 20130330



Chemical abatement



Photo by Warren Gretz - NREL 11553



- Using biogas can be cost efficient but costs of using it must be considered
- Recap the costs to consider using biogas
 - Environmental consideration odor pollution
 - Treatment of carbon dioxide
 - Presence of moisture
 - Pressure regulation
 - Siloxane cleanup and prevention



Have a wonderful conference!

For questions, contact:

Buddy Dobbins
Zurich Risk Engineering
704-748-1641
704-517-2845
Robert.dobbins@zurichna.com



Thank you

Risk Engineering zurich.com



References

- 1. http://www.docstoc.com/docs/101519255/Landfill-Gas-(PDF)
- 2. http://www.economywatch.com/renewable-energy/advantages-of-biogas.html
- 3. http://www.iea-biogas.net/_download/publi-task37/upgrading_report_final.pdf
- 4. http://www.intermountaincleanenergy.org/events/landfills/050811/presentations/tower.pdf
- 5. http://www.nebiosolids.org/uploads/pdf/NE%20Conf.%202010/Lynch-UseBiogas-9Nov10.pdf
- 6. Energy use of biogas hampered by the presence of siloxanes, Raf Dewil, Lise Appels, Jan Baeyens, University of Antwerp, Department of Bio-engineering, Groenenborgerlaan 171, B-2020 Antwerp, Belgium, University of Birmingham, Department of Chemical Engineering, Edgbaston, Birmingham, UK; November, 2005
 http://epics.ecn.purdue.edu/bgi/documents/fall%202009/energy%20hampered%20by%20siloxanes.pdf
- 7. <u>Biogas Utilization Simple in Concept Complex in Practice</u> Tim Shea, CH2MHILL, Hershey, PA, August 11, 2010
- 8. <u>Effects of Hydrogen Sulfide and Siloxane on Landfill Gas Utility Facilities</u> Sangchul Nam, Kwang-Biam Hur, Nam-Hoon Lee Dept. of Advanced Technology Fusion Konkuk University, Seoul, S. Korea, 09/2011